according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.19.2015 Page 1 of 7

## Potassium Polyacrylate,

## SECTION 1: Identification of the substance/mixture and of the supplier

Product name: Potassium Polyacrylate,

Manufacturer/Supplier Trade name:

Manufacturer/Supplier Article number: \$25502

Recommended uses of the product and uses restrictions on use:

Manufacturer Details:

## **Supplier Details:**

QUANTUNG, LDA


RUA PADRE VINCENTE MARIA DA ROCHA 384J 3840-453 VAGOS, PORTUGAL

## Emergency telephone number:

Quantung Pharma Emergency Telephone No.: +351 9621 63100

## SECTION 2: Hazards identification

#### Classification of the substance or mixture:



Eye irrit. 2A

Signal word: Warning

### Hazard statements:

Causes serious eye irritation

### Precautionary statements:

If medical advice is needed, have product container or label at hand

Keep out of reach of children

Read label before use

Wear protective gloves/protective clothing/eye protection/face protection

Wash skin thoroughly after handling

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do.

Continue rinsing

If eye irritation persists get medical advice/attention

### Other Non-GHS Classification:

#### **WHMIS**



Effective date: 01.19.2015 Page 2 of 7

### Potassium Polyacrylate,

#### NFPA/HMIS





HMIS RATINGS (0-4)

## SECTION 3: Composition/information on ingredients

Ingredients:				
CAS 25608-12-2	Potassium Polyacrylate	100 %		
Percentages are by weigh				

#### SECTION 4: First aid measures

### Description of first aid measures

**After inhalation:** Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Get medical assistance if cough or other symptoms appear.

**After skin contact:** Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or if concerned.

**After eye contact:** Protect unexposed eye. Rinse or flush exposed eye gently using water for 15-20 minutes. Remove contact lenses while rinsing. Seek medical attention if irritation persists or if concerned.

**After swallowing:** Rinse mouth thoroughly. Do not induce vomiting. Seek medical attention if irritation, discomfort, or vomiting persists. Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed:

Headache. Shortness of breath. May cause gastrointestinal irritation with nausea, vomiting and diarrhea. Irritation- all routes of exposure. May cause eye irritation and possible damage;

### Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically.

### SECTION 5: Firefighting measures

## **Extinguishing media**

Suitable extinguishing agents: For small fires use water spray, dry chemical or carbon dioxide For safety reasons unsuitable extinguishing agents: None.

# Special hazards arising from the substance or mixture:

Thermal decomposition can lead to release of irritating gases and vapors.

#### Advice for firefighters:

**Protective equipment:** Wear protective eyeware, gloves, and clothing. Refer to Section 8. Wear chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid

Created by Quantung, Lda. -Tel: 351-9621-63100 - www.quantung.com info@quantung.com

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.19.2015 Page 3 of 7

### Potassium Polyacrylate,

contact with skin, eyes, and clothing. Dust deposits should not be allowed to accumulate on surfaces.

### SECTION 6: Accidental release measures

## Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational. Avoid dust formation

#### **Environmental precautions:**

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

#### Methods and material for containment and cleaning up:

Wear protective eyeware, gloves, and clothing. Refer to Section 8.Sweep up and containerize for disposal. Avoid generating dust. Always obey local regulations. If necessary use trained response staff or contractor. Absorb with suitable absorbent material such as sand or earth and containerize for disposal. Refer to Section 13. When wet Potassium Polyacrylate can create slippery conditions

#### Reference to other sections:

## SECTION 7: Handling and storage

### Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Wash hands after handling. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid dust formation

### Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from open flames, hot surfaces, and sources of ignition. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

### SECTION 8: Exposure controls/personal protection





**Control Parameters:** No applicable occupational exposure limits

Appropriate Engineering controls: Emergency eye wash fountains and safety showers should be available in

the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational

Exposure Limits-OELs) indicated above.

**Respiratory protection:** Not required under normal conditions of use. Where risk assessment

shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved

breathing equipment.

**Protection of skin:** Select glove material impermeable and resistant to the substance. Select

glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without

touching outer surface. Avoid skin contact with used gloves. Wear

protective clothing.

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date:** 01.19.2015 Page 4 of 7

## Potassium Polyacrylate,

Eye protection: Wear equipment for eye protection tested and approved under

> appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses or goggles are appropriate eye protection.

General hygienic measures: Perform routine housekeeping. Wash hands before breaks and at the end

of work. Avoid contact with skin, eyes, and clothing. Before wearing wash

contaminated clothing.

## SECTION 9: Physical and chemical properties

Appearance (physical state,color):	Off-white solid	Explosion limit lower: Explosion limit upper:	Non Explosive Non Explosive	
Odor:	Odorless	Vapor pressure:	Not Determined	
Odor threshold:	Not Determined	Vapor density:	Not Determined	
pH-value:	Not Determined	Relative density:	0.4 g/mL at 25 °C (77 °F)	
Melting/Freezing point:	Not Determined	Solubilities:	Insoluble	
Boiling point/Boiling range:	Not Determined	Partition coefficient (noctanol/water):	Not Determined	
Flash point (closed cup):	Not Determined	Auto/Self-ignition temperature:	Not Determined	
Evaporation rate:	Not Determined	Decomposition temperature:	Not Determined	
Flammability (solid,gaseous):	Not Determined	Viscosity:	a. Kinematic:Not Determined b. Dynamic: Not Determined	
Density: Not Determined				

## SECTION 10: Stability and reactivity

Reactivity: Nonreactive under normal conditions. Chemical stability: Stable under normal conditions.

Possible hazardous reactions: None under normal processing.

Conditions to avoid: Moisture sensitive. Incompatible materials. Excessive heat.

Incompatible materials: Strong oxidizing agents.

Hazardous decomposition products: Carbon oxides, Sodium oxides.

## SECTION 11: Toxicological information

Acute Toxicity:				
Oral:	9003-04-7	LD50 Rat: >5000 mg/kg		
Chronic Toxicity: No additional information.				
Corrosion Irritation:				
Ocular:	25608-12-2	Classified as eye irritant		
Sensitization:		No additional information.		

according to 29CFR1910/1200 and GHS Rev. 3

**Effective date**: 01.19.2015 Page 5 of 7

### Potassium Polyacrylate,

Single Target Organ (STOT):	No additional information.
Numerical Measures:	No additional information.
Carcinogenicity:	No additional information.
Mutagenicity:	No additional information.
Reproductive Toxicity:	No additional information.

### SECTION 12: Ecological information

**Ecotoxicity Persistence and degradability:** 

Bioaccumulative potential:

Mobility in soil:

Other adverse effects:

## SECTION 13: Disposal considerations

#### Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US 40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

### SECTION 14: Transport information

#### **UN-Number**

Not Regulated

UN proper shipping name

Not Regulated

Transport hazard class(es)
Packing group: Not Regulated

Environmental hazard: Transport in bulk:

Special precautions for user:

## SECTION 15: Regulatory information

## **United States (USA)**

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

None of the ingredients is listed

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

Created by Quantung, Lda. -Tel: 351-919108800 - www.quantung.com

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.19.2015 Page 6 of 7

### Potassium Polyacrylate,

## CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

None of the ingredients is listed

#### Proposition 65 (California):

#### Chemicals known to cause cancer:

None of the ingredients is listed

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed

## Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

#### Chemicals known to cause developmental toxicity:

None of the ingredients is listed

#### Canada

## Canadian Domestic Substances List (DSL):

All ingredients are listed.

#### Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

## Canadian NPRI Ingredient Disclosure list (limit 1%):

None of the ingredients is listed

### SECTION 16: Other information

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations. Note:. The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

#### **GHS Full Text Phrases:**

## Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA)

RCRA: Resource Conservation and Recovery Act (USA)

TSCA: Toxic Substances Control Act (USA)

NPRI: National Pollutant Release Inventory (Canada)

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

according to 29CFR1910/1200 and GHS Rev. 3

Effective date: 01.19.2015 Page 7 of 7

## Potassium Polyacrylate,

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

DNEL: Derived No-Effect Level (REACH)

**Effective date**: 01.19.2015 **Last updated**: 03.19.2015

Disclaimer: This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.