

# **Safety Data Sheet**

Issue date 25-Jun-2015 Version 1

### 1. Identification of the Substance/Preparation and of the Company/Undertaking

**Product Identifier** 

Product name CHAMPION SPRAYON WASP, BEE & HORNET KILLER

Chemical name 7-7736-5

Other means of identification

Product code FG 438-5108-9

**Synonyms** Wasp, bee and hornet killer

Registration number(s) 498-156

Recommended use of the chemical and restrictions on use

**Recommended Use** Insecticide for wasps, hornets and yellow jackets.

Uses advised against DO NOT USE THIS PRODUCT ON LIVING DECORATIVE TREES, SHRUBS OR

ORNAMENTAL PLANTS.

Follow the "Use Restrictions" listed on the label.

#### Details of the supplier of the safety data sheet

Supplier Address

QUANTUNG, LDA

RUA PADRE VINCENTE MARIA DA ROCHA 384J

3840-453 VAGOS, PORTUGAL

**Emergency Telephone Number** 

**Company Phone Number** +351 9621 63100 **24 Hour Emergency Phone Number** +351 91910 8800

### 2. Hazards Identification

### Classification

This chemical is regulated by FIFRA.

Acute toxicity - Inhalation (Gases)	Category 3
Acute toxicity - Inhalation (Vapors)	Category 3
Germ Cell Mutagenicity	Category 1B
carcinogenicity	Category 1B
Aspiration toxicity	Category 1
FLAMMABLE AEROSOLS	Category 1
Gases Under Pressure	liquefied gas

### **Label Elements**

#### **EMERGENCY OVERVIEW**

### DANGER

#### hazard statements

Toxic if inhaled

May cause genetic defects

May cause cancer

May be fatal if swallowed and enters airways EXTREMELY FLAMMABLE AEROSOL

Contains gas under pressure; may explode if heated



Appearance clear liquid

Physical State Aerosol

**Odor** Characteristic odor of insecticide and petroleum distillate.

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood Wear protective gloves, protective clothing, eye protection and face protection.

Avoid breathing fumes, mist, vapors or spray.

Use only outdoors or in a well-ventilated area

Keep away from heat, sparks, open flames and hot surfaces. — No smoking

Pressurized container: Do not pierce or burn, even after use Do not spray on an open flame or other ignition source

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment: See additional cautionary statements on this label.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

IF SWALLOWED: Immediately call a POISON CENTER or doctor

Do NOT induce vomiting

### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

#### Other Information

• Toxic to aquatic life with long lasting effects

3% of the mixture consists of ingredient(s) of unknown toxicity

### 3. Composition/information on Ingredients

Common Name Insecticide spray.

**Synonyms** Wasp, bee and hornet killer.

**Chemical Family** Pesticide. Formula 7-7736-5

Chemical nature Solvent based insecticide.

Chemical name	CAS No	weight-%	Trade secret
Petroleum distillates, hydrotreated light	64742-47-8	65-70	*
Tripropylene Glycol Methyl Ether	25498-49-1	15-20	*
Low Odor Mineral Spirits	64742-47-8	5-10	*
Carbon Dioxide	124-38-9	1-5	*
Petroleum naphtha, light aromatic	64742-95-6	<2	*
Tetramethrin	7696-12-0	0.2	*
d-Phenothrin	26002-80-2	0.125	*

\* The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First aid measures

### **FIRST AID MEASURES**

**Eye Contact** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advise.

inhalation If overcome by vapor, move person to fresh air. If person is not breathing, call 911 or an

ambulance, then provide artifical respiration, preferably mouth-to-mouth, if possible. Call a

poison control center or doctor for further treatment advise.

**INGESTION** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do

so by the poison control center or doctor. Do not give any liquid to the person. Do not give

anything by mouth to an unconscious person.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** Prolonged contact with skin may cause allergic reactions on some individuals. Harmful if

inhaled.

#### Indication of any immediate medical attention and special treatment needed

Note to physicians Contains petroleum distillates, do not induce vomiting because of aspiration neumonia

hazard.

### 5. Fire-fighting measures

<u>Suitable extinguishing media</u> CO2 (Carbon Dioxide), dry chemical, or water fog.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

Vapors are heavier than air and may travel along the ground and be ignited by pilot lights, other flames, sparks, heaters, smoking or other ignition sources.

Hazardous combustion productsThermal decomposition may yield gases like carbon monoxide, carbon dioxide and

hydrogen cyanide gas (from active ingredient). Hydrogen cyanide may be formed at 160 F (71.1 C) or higher, or by contact with alkaline substances such as soda ash and lye.

#### **Explosion data**

Sensitivity to Mechanical Impact Contents under pressure, keep away from heat and open flame.

Sensitivity to Static Discharge Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric

motors and static electricity).

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Shut off ignition sources. Provide adequate ventilation to area being treated. Soak up spills

with chemically inert, absorbent material.

For emergency responders Remove all sources of ignition. Wear respiratory protection.

Environmental Precautions

**Environmental Precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for Containment**Soak up spills with chemically inert, absorbent material.

**Methods for cleaning up**Clean contaminated surface thoroughly.

### 7. Handling and Storage

Precautions for safe handling

Advice on safe handling Avoid contact with skin. Avoid getting spray into eyes. Do not deliberately inhale vapor or

mist. Do not contaminate food or food handling surfaces. Keep out of reach of children.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store in a cool, dry place away from heat and open flame. Keep out of reach of children.

**AEROSOL STORAGE LEVEL III (NFPA-30B).** 

**Incompatible Materials**Avoid heat, open flame and contact with strong alkali and strong oxidizing agents.

### 8. Exposure Controls/Personal Protection

#### Control parameters

**Exposure guidelines** See occupational exposure limits listed below.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Carbon Dioxide 124-38-9	STEL: 30000 ppm TWA: 5000 ppm	TWA: 5000 ppm TWA: 9000 mg/m³ (vacated) TWA: 10000 ppm (vacated) TWA: 18000 mg/m³ (vacated) STEL: 30000 ppm (vacated) STEL: 54000 mg/m³	IDLH: 40000 ppm TWA: 5000 ppm TWA: 9000 mg/m³ STEL: 30000 ppm STEL: 54000 mg/m³
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³
Cumene 98-82-8	TWA: 50 ppm	TWA: 50 ppm TWA: 245 mg/m³ (vacated) TWA: 50 ppm (vacated) TWA: 245 mg/m³ (vacated) S* S*	IDLH: 900 ppm TWA: 50 ppm TWA: 245 mg/m³

#### Appropriate engineering controls

**Engineering controls**Use with adequate general or local exhaust ventilation.

#### Individual protection measures, such as personal protective equipment

**Eye/face Protection** Conventional eyeglasses to guard against splashing.

**Skin and Body Protection** Rubber, vinyl or household type gloves required.

**Respiratory protection**None required if used in a well-ventilated area. Follow label directions and precautions for

the correct use of the product.

**General hygiene considerations** Wash hands thoroughly after handling.

### 9. Physical and Chemical Properties

#### Information on basic physical and chemical properties

Physical State Aerosol

AppearanceClear liquidOdorCharacteristic odor of

insecticide and petroleum

distillate.

Color Clear to yellowish Odor threshold No information available

PropertyValuesRemarks • MethodpHNot applicableSolvent-based product.Melting point/freezing pointNot applicableNo information availableBoiling point/boiling rangeHydrotreated Petroleum Dist. 468-529No information available

F A STATE TO STATE OF THE STATE

product for which Flame Projection is over 18 inches with 1 inches flashback. Temperatures above 120 F may cause

cans to burst.

**Evaporation Rate** Faster than butyl acetate. No information available

Flammability (solid, gas)

Flammability Limits in Air

No information available
No information available

Upper flammability limits Lower Flammability Limit

**Flash Point** 

Vapor pressure No information available

Vapor DensityNo information availableRelative Density0.821 concentrateNo information available

Water solubility insoluble

Solubility in other solventsNo information availablePartition coefficientNo information availableAutoignition TemperatureNo information availableDecomposition temperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information available

Explosive properties

No information available

No information available

**Other Information** 

Softening point No information available Molecular weight No information available

**VOC content (%)** 9.945% **Density** 6.84 lb/gal

Bulk Density No information available

### 10. Stability and Reactivity

#### Reactivity

Not applicable Not applicable

### **Chemical stability**

Stable.

### Possibility of hazardous reactions

Temperatures above 130 °F may cause cans to burst with force.

hazardous polymerization Hazardous polymerization does not occur.

**Conditions to Avoid** 

Temperatures above 122 °F (50 °C).

**Incompatible Materials** 

Avoid heat, open flame and contact with strong alkali and strong oxidizing agents.

#### Hazardous decomposition products

Thermal decomposition may yield gases like carbon monoxide, carbon dioxide and hydrogen cyanide (from active ingredient).

### 11. Toxicological Information

#### Information on likely routes of exposure

**Product Information**This product has not been tested as whole. See below for information on ingredients.

**inhalation** no data available.

**Eye Contact** no data available.

**Skin contact** no data available.

**INGESTION** no data available.

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Petroleum distillates, hydrotreated light 64742-47-8	> 5000 mg/kg(Rat)	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L (Rat)4 h
Tripropylene Glycol Methyl Ether 25498-49-1	= 3184 mg/kg (Rat)	= 15440 mg/kg ( Rabbit )	-
Low Odor Mineral Spirits 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L (Rat)4 h
Petroleum naphtha, light aromatic 64742-95-6	= 8400 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	= 3400 ppm (Rat) 4 h
Tetramethrin 7696-12-0	= 4640 mg/kg (Rat)	> 2500 mg/kg ( Rat )	> 2500 mg/m³ ( Rat ) 3 h
d-Phenothrin 26002-80-2	> 10 g/kg (Rat)	> 5 g/kg ( Rat )	-

#### Information on toxicological effects

Symptoms Deliberate inhalation of concentrated vapor or mist may cause headache, dizziness and

nausea.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Prolonged and repeated contact with skin may cause allergic reactions in some individuals.

**Serious eye damage/eye irritation** Can cause irritation after contact with the eyes.

corrosivityNot applicable.sensitizationNo a skin sensitizer.Germ Cell MutagenicityNo information available.

**carcinogenicity**The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Tetramethrin		Group 2A		X
7696-12-0				
d-Phenothrin		Group 2A		X
26002-80-2		•		

Reproductive Toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Aspiration Hazard Not applicable.

#### Numerical measures of toxicity - Product Information

**Unknown acute toxicity** 3% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 7986 mg/kg ATEmix (dermal) 2846 mg/kg

ATEmix (inhalation-gas) 1588 mg/l ATEmix (inhalation-dust/mist) 9.8 mg/l ATEmix (inhalation-vapor) 11.4 mg/l

### 12. Ecological Information

This product does not contain marine pollutants.

### ecotoxicity

3.325% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Toxicity to Microorganisms	Crustacea
Petroleum distillates, hydrotreated light 64742-47-8		45: 96 h Pimephales promelas mg/L LC50 flow-through 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 2.2: 96 h Lepomis macrochirus mg/L LC50 static		4720: 96 h Den-dronereides heteropoda mg/L LC50
Tripropylene Glycol Methyl Ether 25498-49-1		11619: 96 h Pimephales promelas mg/L LC50 static		10: 48 h Daphnia magna mg/L EC50
Low Odor Mineral Spirits 64742-47-8		45: 96 h Pimephales promelas mg/L LC50 flow-through 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static 2.2: 96 h Lepomis macrochirus mg/L LC50 static		4720: 96 h Den-dronereides heteropoda mg/L LC50
Petroleum naphtha, light aromatic 64742-95-6		9.22: 96 h Oncorhynchus mykiss mg/L LC50		6.14: 48 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Other adverse effects No information available

## 13. Disposal Considerations

#### Waste treatment methods

**Disposal of wastes**Dispose of in accordance with federal, state and local regulations.

**Contaminated packaging** Pressurized container: Do not pierce or burn, even after use. Do not puncture or incinerate

container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your

local solid waste agency for disposal instructions.

Chemical name	California Hazardous Waste Status
Tetramethrin 7696-12-0	Тохіс
d-Phenothrin 26002-80-2	Toxic

### 14. Transport Information

**DOT** Limited quantity (LQ) Insecticide spray

UN/ID no UN1950

Proper Shipping Name Limited quantity (LQ)

Hazard Class 2.1

**Marine pollutant** This product does not contain marine pollutants.

### 15. Regulatory information

**International Inventories** 

TSCA All ingredients of this product are listed or are excluded from listing under the U.S. Toxic

Subtances Control Act (TSCA) Chemical Substance Inventory.

**DSL** All ingredients are listed or are excluded from listing on the DSL.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

### US Federal Regulations

### **SARA 313**

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40 CFR 372. This information must be included in all SDSs that are copied and distributed for this material.

Chemical name	CAS No	weight-%	SARA 313 - Threshold Values %
Tripropylene Glycol Methyl Ether - 25498-49-1	25498-49-1	15-20	1.0
Tetramethrin - 7696-12-0	7696-12-0	0.2	1.0
d-Phenothrin - 26002-80-2	26002-80-2	0.125	1.0

### SARA 311/312 Hazard Categories

Acute Health Hazard	yes
Chronic Health Hazard	yes
Fire Hazard	yes
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### **US State Regulations**

### **California Proposition 65**

This product contains <0.1% cumene, a chemical known to State of California to cause cancer.

### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania

Tripropylene Glycol Methyl Ether 25498-49-1	Х		Х
Carbon Dioxide 124-38-9	Х	X	X
Tetramethrin 7696-12-0	Х		
d-Phenothrin 26002-80-2	Х		

#### U.S. EPA Label information

EPA Pesticide registration number 498-156

#### **EPA Statement**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

16. Other information				
<u>NFPA</u>	Health Hazards 2	Flammability 4	Instability 1	Physical and chemical properties Not applicable
<u>HMIS</u>	Health Hazards 2	Flammability 4	Physical Hazards 1	Personal Protection B - Eyes and hands protection

Prepared by Regulatory Department

Issue date 25-Jun-2015

Revision note

This SDS is for 10% VOC formulation. Previous SDS dated May 13, 2015 is for 40% VOC formulation.

#### <u>Disclaimer</u>

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and beliefat the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**