



Bromine CAS No 7726-95-6

MATERIAL SAFETY DATA SHEET SDS/MSDS

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : **Bromine**

CAS-No. : 7726-95-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Industrial & for professional use only.

1.3 Details of the supplier of the safety data sheet

Company : Quantung, Lda.

RUA PADRE VINCENTE MARIA DA

ROCHA 384J 3840-453 VAGOS, PORTUGAL

 Telephone
 : +351 9621-63100

 Email
 : info@quantung.com

1.4 Emergency telephone number

Emergency Phone # : +351 91910 8800 (9:00am - 6:00 pm) [Office hours]

SECTION 2: Hazards identification

21 1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Inhalation (Category 2), H330

Skin corrosion (Category 1A), H314

Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

22 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P284 Wear respiratory protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove P305 + P351 + P338

contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

Supplemental Hazard

Statements

none

23 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Formula : Br2

Molecular weight : 159.82 g/mol CAS-No. : 7726-95-6 EC-No. : 231-778-1 Index-No. : 035-001-00-5

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component Classification Concentration

Brom ine

CAS-No. 7726-95-6 Acute Tox. 2; Skin Corr. 1A; <= 100 %

EC-No. 231-778-1 Aquatic Acute 1; H330, H314,

Index-No. 035-001-00-5 H400

M-Factor - Aquatic Acute: 10

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 De script ion of first aid me asures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swall owed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Fire fight ing measures

51 1 Extinguishing media

Suit a ble extinguishing me dia

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

52 2 Special hazards arising from the substance or mixture

Hydrogen bromide gas

Container explosion may occur under fire conditions.

53 3 Advice for fire fighters

Wear self-contained breathing apparatus for firefighting if necessary.

54 Furth er inform ation

May intensify fire; oxidizer.

SECTION 6: Accidental release measures

61 1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

62 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

63 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

64 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

72 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Do not store in polyethylene containers. Handle and open container with care.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

73 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Ex posure controls/personal protection

81 1 Control parameters

82

2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Res pira tory prote ction

Where risk assessment shows air-purifying respirators are appropriate use (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engine protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Cont rol of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

	4 •				4.
91 1 Info	rmation o	n basic	physical ar	nd chemical	properties

a) Appearance Form: liquid Colour: brownb) Odour suffocating

c) Odour Thresholdd) pHNo data availableNo data available

e) Melting point/freezing Melting point/range: 7.2 °C - lit.

point

f) Initial boiling point and 58.8 °C - lit.

boiling range

g) Flash pointh) Evaporation rateNo data available

i) Flammability (solid, gas) No data available

j) Upper/lower No data available flammability or

explosive limits

k) Vapour pressure 175 mmHg at 20 °C

671 mmHg at 55 °C 301.307 hPa at 25 °C

I) Vapour density 5.52 - (Air = 1.0) m) Relative density 3.12g/mL at 20 °C

n) Water solubility
 No data available
 o) Partition coefficient: n No data available

Partition coefficient: noctanol/water

p) Auto-ignition No data available temperature

q) Decomposition No data available temperature

r) Viscosity 1 mm2/s at 20 °C s) Explosive properties No data available
 t) Oxidizing properties No data available

92 Other safety information

Relative vapour density 5.52 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chem ical stability

Stable under recommended storage conditions.

10.3 Possi bility of hazardous reactions

No data available

10.4 .4 Conditions to avoid

No data available

10.5 .5 Incompatible materials

Reducing agents, Alkali metals, Powdered metals, Aluminum, Stainless steel, Iron, Copper, Organic materials, Bromine will attack some types of plastics, rubber, and coatings, Aldehydes, Ketones, arsenic powder, Amines, Amides, phenols, Alcohol, reacts violently with:, Ammonia, Azides, Ozone

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Hydrogen bromide gas Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 2,600 mg/kg(Bromine) Inhalation: No data available(Bromine)

Skin corrosion/irritation

No data available(Bromine)

Se rious e ye damage/e ye irritation

No data available(Bromine)

Respiratory or skin sensitisation

No data available(Bromine)

Germ c ell m uta ge nici ty

in vitro assay(Bromine)

S. typhimurium

Result: negative

(Bromine)

Mouse - male and female

Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available(Bromine)

Specific target organ toxicity - single exposure

No data available(Bromine)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(Bromine)

Additional Information

RTECS: EF9100000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Cyanosis, Cardiovascular effects., Respiratory disorders, Lachrymation, Nose bleeding, Vertigo, Irritability, loss of appetite, joint pain, Abdominal pain, Diarrhoea, hoarseness(Bromine)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.(Bromine)

Liver - Irregularities - Based on Human Evidence(Bromine)

SECTION 12: Ec ologic al information

12.1 Toxic it y

Toxicity to daphnia and LC50 - Daphnia magna (Water flea) - 1 mg/l - 48 h(Bromine) other aquatic invertebrates

12.2 Persist ence and degrad ability

No data available

12.3 Bioac cum ula tive pote ntial

No data available

12.4 .4 Mobility in soil

No data available(Bromine)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life.

SECT ION 13: Disposal considerations

13.1 Waste treatment methods

Produc t

Offer surplus and non-recyclable solutions to a licensed disposal company.

Cont am inated packa ging

Dispose of as unused product.

SECT ION 1 4: T ra nsport informa tion

14.1 UN number

ADR/RID: 1744 IMDG: 1744 IATA: 1744

14 .2 UN proper shipping na m e

ADR/RID: BROMINE IMDG: BROMINE IATA: Bromine

Passenger Aircraft: Not permitted for transport Cargo Aircraft: Not permitted for transport

14.3 Tran sport hazard class(es)

ADR/RID: 8 (6.1) IMDG: 8 (6.1) IATA: 8 (6.1)

14.4 Packaging group

ADR/RID: I IMDG: I IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
- 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H314 Causes severe skin burns and eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

Furth er inform a tion

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Quantung Lda and its Affiliates shall not be held liable for any damage resulting from handling or from contact with theabove product. See www.quantung.com for additional terms and conditions of sale.